



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q62912

Yoshiki OHTA

Appln. No.: 09/781,273

Group Art Unit: 2644

Confirmation No.: 9431

Examiner: Justin I. Michalski

Filed: February 13, 2001

For: SOUND FIELD CORRECTING METHOD IN AUDIO SYSTEM

AMENDMENT UNDER 37 C.F.R. § 1.111

**MAIL STOP NON-FEE AMENDMENT**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

RECEIVED

JUN 01 2004


Technology Center 2600

Sir:

In response to the Office Action dated February 26, 2004, please amend the above-identified application as follows on the accompanying pages.

05/27/2004 SMINASS1 00000024 194880 09781273

01 FC:1201 430.00 DA



## PATENT APPLICATION

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q62912

Yoshiki OHTA

Appln. No.: 09/781,273

Group Art Unit: 2644

Confirmation No.: 9431

Examiner: Justin I. Michalski

Filed: February 13, 2001

For: SOUND FIELD CORRECTING METHOD IN AUDIO SYSTEM

## EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED

JUN 01 2004

Technology Center 2600

Sir:

An Amendment Under 37 C.F.R. § 1.111 is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:

	After Amendment		Highest No. Previously Paid For					
All Claims	20	-	20	=	X	\$18.00	=	\$0.00
Independent	8	-	3	=	5	X	\$86.00	= \$430.00
TOTAL							=	\$430.00

The USPTO is directed and authorized to charge the statutory fee of \$430.00, and all other required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this letter is enclosed.

Respectfully submitted,

Stan Torgovitsky  
Registration No. 43,958

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Date: May 26, 2004